



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

ALABAMA—*Mobile*.—Month of November, 1896. Estimated population, 37,817. Total deaths, 73, including diphtheria, 1; enteric fever, 3; croup, 2, and phthisis pulmonalis, 13.

Month of December, 1896. Total deaths, 68, including membranous croup, 2; enteric fever, 1, and phthisis pulmonalis, 20.

CALIFORNIA—*Los Angeles*.—Month of December, 1896. Estimated population, 100,000. Total deaths, 111, including diphtheria, 8; enteric fever, 3, and phthisis pulmonalis, 22.

*Oakland*.—Month of December, 1896. Estimated population, 60,000. Total deaths, 71, including membranous croup, 1; enteric fever, 2; whooping cough, 1, and phthisis pulmonalis, 9.

*Sacramento*.—Month of December, 1896. Estimated population, 30,000. Total deaths, 51, including diphtheria, 1, and phthisis pulmonalis, 10.

COLORADO—*Denver*.—Month of December, 1896. Estimated population, 150,000. Total deaths, 119, including enteric fever, 3; whooping cough, 3; measles, 6, and phthisis pulmonalis, 27.

CONNECTICUT.—Month of December, 1896. Reports to the State board of health from 167 cities and towns throughout the State, having an aggregate population of 853,860, show a total of 1,142 deaths, including measles, 4; scarlet fever, 14; diphtheria and croup, 70; whooping cough, 3; enteric fever, 11, and phthisis pulmonalis, 111.

ILLINOIS—*Chicago*.—Month of December, 1896. Estimated population, 1,750,000. Total deaths, 1,813, including diphtheria, 98; measles, 6; scarlet fever, 7; enteric fever, 44; whooping cough, 11, and phthisis pulmonalis, 167.

IOWA—*Davenport*.—Month of December, 1896. Estimated population, 35,000. Total deaths, 39, including whooping cough, 1, and phthisis pulmonalis, 2.

*Dubuque*.—Month of December, 1896. Estimated population, 40,000. Total deaths, 31, including diphtheria and membranous croup, 6, and phthisis pulmonalis, 1.

KENTUCKY—*Louisville*.—Month of December, 1896. Estimated population, 211,100—white, 173,600; colored, 37,500. Total deaths, 293—white, 202; colored, 91—including diphtheria and croup, 12; scarlet fever, 1; enteric fever, 7, and phthisis pulmonalis, 43.

MARYLAND—*Baltimore*.—Month of December, 1896. Estimated population, 506,398—white, 431,054; colored, 75,344. Total deaths, 858—white, 671; colored, 187—including croup, 5; diphtheria, 44; enteric fever, 10; scarlet fever, 5; whooping cough, 5, and phthisis pulmonalis, 111.

MASSACHUSETTS—*Brockton*.—Month of December, 1896. Estimated population, 33,165. Total deaths, 44, including diphtheria and croup, 4; measles, 1, and phthisis pulmonalis, 2.

*Malden.*—Month of December, 1896. Estimated population, 30,000. Total deaths, 28, including 4 from phthisis pulmonalis.

*Worcester.*—Month of December, 1896. Estimated population, 102,000. Total deaths, 158, including diphtheria, 10; scarlet fever, 2; enteric fever, 1; measles, 4, and phthisis pulmonalis, 15.

MICHIGAN.—Reports to the State board of health, Lansing, from 72 observers, indicate that during the week ended January 9 diphtheria increased and that erysipelas decreased in area of prevalence. Phthisis pulmonalis was reported present during this period at 203 places, diphtheria at 45, scarlet fever at 40, measles at 26, enteric fever at 25, and whooping cough at 20 places.

MINNESOTA—*St. Paul.*—Month of December, 1896. Estimated population, 215,000. Total deaths, 118, including enteric fever, 2; scarlet fever, 1; diphtheria and croup, 8, and phthisis pulmonalis, 15.

MISSOURI—*Kansas City.*—Month of December, 1896. Estimated population, 165,000. Total deaths, 149, including diphtheria, 7; enteric fever, 1, and phthisis pulmonalis, 6.

*St. Louis.*—Month of December, 1896. Estimated population, 570,000. Total deaths, 728, including diphtheria and croup, 40; whooping cough, 2; enteric fever, 5, and phthisis pulmonalis, 78.

OHIO—*Cleveland.*—Month of December, 1896. Estimated population, 330,279. Total deaths, 371, including enteric fever, 9; diphtheria and croup, 27, and phthisis pulmonalis, 21.

NEW HAMPSHIRE—*Manchester.*—Month of December, 1896. Estimated population, 56,000. Total deaths 92, including diphtheria and membranous croup, 18; enteric fever, 2; measles, 1; whooping cough, 1, and phthisis pulmonalis, 6.

NORTH CAROLINA.—Month of November, 1896. Reports to the State board of health from 24 cities and towns having an aggregate population of 141,485—white, 81,972; colored, 59,513—show a total of 150 deaths—white, 70; colored, 80—including enteric fever, 8; scarlet fever, 1; diphtheria, 1, and phthisis pulmonalis, 34.

RHODE ISLAND—*Newport.*—Month of December, 1896. Estimated population, 21,500. Total deaths, 30, including membranous croup, 2; whooping cough, 1, and phthisis pulmonalis, 7.

TENNESSEE—*Memphis.*—Month of December, 1896. Estimated population, 55,923—white, 28,064; colored, 27,859. Total deaths, 123—white, 53; colored, 70—including diphtheria, 1; enteric fever, 2; whooping cough, 2, and phthisis pulmonalis, 19.

*Nashville.*—Month of December, 1896. Estimated population, 87,754—white, 54,595; colored, 33,159. Total deaths, 133—white, 66; colored, 67—including enteric fever, 3; whooping cough, 1; croup, 1, and phthisis pulmonalis, 16.

UTAH—*Salt Lake City.*—Month of December, 1896. Estimated population, 70,000. Total deaths, 50, including enteric fever, 6; scarlet fever, 1, and phthisis pulmonalis, 3.

WASHINGTON—*Seattle*.—Month of December, 1896. Estimated population, 60,000. Total deaths, 32, including enteric fever, 1, and phthisis pulmonalis, 3.

*Spokane*.—Nine days ended January 9, 1897. Estimated population, 35,000. Total deaths, 8, including 2 from diphtheria and membranous croup.

WISCONSIN—*Manitowoc*.—Month ended January 9, 1897. Estimated population, 9,400. Total deaths, 22, including 1 from diphtheria and 2 from phthisis pulmonalis.

*Milwaukee*.—Month of December, 1896. Estimated population, 260,000. Total deaths, 345, including diphtheria, 25 ; croup, 5 ; enteric fever, 4 ; measles, 17, and phthisis pulmonalis, 35.